"I intend moving the Hon'ble High Court of Mysore, Bangalore, to enrol me as an Advocate thereof".

M. R. SUBBA RAO, B.A., LL.B.

"I intend moving the High Court of Mysore to enrol me as an Advocate."

C. BHIMASEN RAO, B.A., B.L.

"I intend moving the honourable High Court of Mysore to enrol me as an advocate thereof".

JAGALUR NARAYANA RAO, B.A., LL.B.

"I intend moving the Hon'ble High Court of Mysore, Bangalore, to enrol me as an Adovcate thereof".

P. RAGHAVENDRA RAO.

IN THE HIGH COURT OF MYSORE, BANGALORE.

*Notification No. D*1. *Dis.* 17—35-36, *dated 4th—8th July* 1935.

C. L. Lakshme Gowda, Clerk, Munsiff's Court, Hassan, is permitted to change his name into C. L. Lakshmana Gowda.

A. SUNDARARAJA RAO,
Registrar.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 163-77, *dated 2nd July* 1935.

To

The firms dealing in copper wires.

Enquiry No. 1432.

DOUBLE COTTON COVERED AND BRAIDED COPPER WIRES.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials, conforming to the specifications given below :—

Copper wire, double cotton covered, free from kinks and joints, in continuous lengths mentioned against each item. The wire should be wound on wooden hanks whose inside diameter should not be less than 11·5". The thickness of the cotton covering should not be more than what is specified against each item. The covering of the cotton should be such that when the wire is bent at right angles, the copper should not be exposed. Sample pieces showing the kind of yarn used and the thickness of insulation and the method of braiding adopted should accompany the tender. The wire used should be as per B.E.S.A. or A.I.E.E. specifications.

1.	Double cotton covered copper wire, No. 25 S.W.G., thickness of cotton covering 12 mils, in continuous lengths of 20 lbs.	1,000	lbs.
2.	Do 22 S.W.G. (12 mils thick) in continuous lengths of 29 lbs.	2,320	,,
3.	Do 19 S.W.G. (12 mils thick) in continuous lengths of 50 lbs.	5,000	,,
4.	Do 18 S.W.G. (12 mils thick) in continuous lengths of 63 lbs.	3,150	,,
5.	Do 17 S.W.G. (12 mils thick) in continuous lengths of 77 lbs.	2,772	,,
6.	Do 13 S.W.G. (12 mils thick) in continuous lengths of 14 lbs.	700	,,
7.	Do 9 S.W.G. (12 mils thick) in continuous lengths of 27 lbs...	2,160	,,

Cotton braided wires.

1.	Cotton braided copper wire, No. 7 S.W.G. (16 mils thick) in continuous lengths of 36 lbs.	3,600	lbs.
	Do 5 S.W.G. (20 mils thick) in continuous lengths of 50 lbs. ..	2,250	,,
	Do 3 S.W.G. (20 mils thick) in continuous lengths of 57 lbs. ..	2,052	,,

The prices to be quoted should be for delivery c. i. f., Madras.

This enquiry will close on the 5th September 1935.

No. S. P. C. 250-60, *dated 4th July* 1935.

To

The Firms dealing in Insulating Materials.

Enquiry No. 1434.

INSULATING MATERIALS FOR THE MANUFACTURE OF TRANSFORMERS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

1.	Leatheroid, should be capable of standing 600 to 700 volts per mil. It must not have any action on transil oil at 100° C. and must be supplied in continuous lengths of 50 to 75 yards 16 mils thick ..	750 lbs.
2.	Do do do 4 mils thick ..	700 ,,
3.	Treated paper. The compound which is used for the treated paper must not have any action on Transil oil or on Shellac varnish. It should not soften till 150° C. The thickness of the paper should be 3 mils and must be capable of standing 2,000-3,000 volts per mil and should be in continuous lengths of 50 to 100 yards ..	1,800 yards.
4.	Empire varnish cambric sleevings, 7·5 mm. diameter	4 gross yds.
5.	Do do do 5 mm. dia.	5 do
6.	Do do do 3 mm. dia.	5 do
7.	Do do do 1·5 mm. dia.	1 do
8.	Heavy duty wrought copper cable terminals, tinned 30 amps. capacity	4,000
9.	Do do do 60 amps. capacity ..	4,000
10.	Do do do 100 do	400
11.	Bakelite sheets capable of being drilled and turned and threaded, 36″×48″×$\frac{1}{4}$″, puncture voltage not less than 12,000 volts ..	20 sheets.
12.	White cambric cloth 48″ wide free from starch and neutral to litmus.	400 yards.
13.	Fine Egyptian cotton tape, each roll containing 1 gross yard, 1″ wide	300 rolls.
14.	Do do do do $\frac{3}{4}$″ wide	600 ,,
15.	Treated twine, 10 mils diameter, in rolls of 1 lb.	15 ,,
16.	High tension leads, single core cable having conductors composed of high conductivity copper, the strands to be covered with black varnish cambric suitable for 6,000 volts, cotton braided compounded, 7/22 S.W.G.	2,000 feet.
17.	Do do do 7/19 S.W.G.	1,000 ,,
18.	Do suitable for 600 volts 7/16 S.W.G.	2,000 ,,
19.	Do do do 7/14 S.W.G.	2,000 ,,

The details of the materials offered and samples of the same should be furnished. The make offered should also be specified.

The price to be quoted should be for delivery, c.i.f., Madras.

This enquiry will close on the 16th September 1935.

No. S. P. C. 261-81, *dated 4th July* 1935.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1435.

DISCONNECTING SWITCHES AND OIL CIRCUIT BREAKERS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item (1) 8 Triple-pole, single-throw, Oil Circuit Breakers, 5,000-volts, 200-amperes, 25 cycles, for .. $1\frac{1}{4}$″ pipe frame-mounting behind panel with manually operated handle on front of .. 2″ panel, equipped with 3-series trip coils to be energized by 5-amperes secondaries of current transformers. The breaker tank should have barriers between phases. The interrupting capacity of the breaker should be specified by the tenderers but should not be less than 20,000 KVA at rated voltage.

Item (2) 14 Triple-pole, single-throw, Oil Circuit Breakers as above but of 100 amperes capacity and a rupturing capacity of not less than 10,000 KVA.

Item (3) 8 Sets of three single-pole, single-throw, 5,000-volts, 200-amperes disconnecting switches each mounted on a metal bases and suitable for $1\frac{1}{4}$" pipe frame mounting and front connections with barriers between phases and safety latch and operating eye.

Item (4) 14 Sets of disconnecting switches as above, but of 100 amperes capactiy.

The Oil Circuit Breakers and disconnecting switches should be of sturdy construction and should conform to the latest standards of the A.I.E.E.or B.E.S.A.

Descriptive bulletins and dimensional drawings should accompany the tenders.

The prices to be quoted should be for delivery, c.i.f., Madras.

This enquiry will close on the 12th September 1935.

No. S. P. C. 302-20, *dated 5th July* 1935.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1436.

POTENTIAL AND CURRENT TRANSFORMERS.

GENTLEMEN,

Please quote your best prices and earliest time of delivery for the following materials, conforming to the specifications given below :—

Item (1) 16—Indoor type Potential Transformers, 25 cycles, 4,600 : 115-volts ratio with fuses and current limiting resistors for energizing voltmeter, watt-meters, watt-hour meters, etc.

Item (2) 9—Indoor Type Current Transformers, 80-40 : 5 amperes ratio, 25 cycles, for $1\frac{1}{4}$" pipe frame mounting to be used for both energizing the series trip coils of oil switches controlling 4,600 volts circuits and for connections to ammeters, watt-meters, and watt-hour meters.

Item (3) 57—Current Transformers, 25 cycles, as above, but of 40-20 : 5 amperes ratio.

These instrument transformers meant for switchboard service are to be connected to 4,600-volts, 3 phase, 3 wire, 25 cycles, delta power circuits. Two potential transformers, and 3 current transformers will be connected per circuit. They should have sufficient capacity for the duty mentioned above. The volt-amperes capacity of the potential transformers should be specified by the tenderers.

The transformers should comply with the lastest standards of the A.I.E.E. or the B.E.S.A., and full particulars regarding performance characteristics, construction, design, name of manufacturer, etc., should be furnished, along with descriptive pamphlets, dimensional drawings, and phase angle and ratio-correction factor curves.

The prices to be quoted should be for delivery, c.i.f., Madras.

This enquiry will close on the 10th September 1935.

No. S. P. C. 448-70, *dated 5th July* 1935.

To

The Firms dealing in Bare Copper Wires.

Enquiry No. 1442.

BARE COPPER WIRES.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item (1)	Bare Hard Drawn Copper wire No. 8 B. & S., having an ultimate strength of not less than 830 lbs.	..	..	..	80 miles.
,, (2)	Do	do	No. 6 B. & S., 1,280 lbs.	..	290 ,,
,, (3)	Do	do	No. 2 B. & S., 3,000 lbs.	..	110 ,,
,, (4)	Do	do	No. 0 B. & S., 4,520 lbs.	..	5 ,,
,, (5)	Do	do	No. 000 B. & S., 7,760 lbs.	..	10 ,,

The material under item No. 1 is to be supplied in coils of one mile lengths wrapped in jute or hessian.

The materials under items 2 and 3 are to be supplied in coils of half mile lengths wrapped in jute or hessian.

The materials under items 4 and 5 will have to be supplied in half mile lengths rolled on reels.

All the above materials should strictly conform to the latest standards of B.E.S.A. or A.I.E.E. for Bare Hard Drawn Copper wires with regard to their conductivity, lapping, elongation, and tensile tests, etc. Test certificates will be required of the successful tenderers at the time of supply of materials.

The prices to be quoted should be per ton and for delivery, c.i.f., Madras.

The weight of the materials per mile should be furnished in your quotation, along with the name of the manufacturers of the wires.

This enquiry will close on the 5th August 1935.

No. S. P. C. 560-6, dated 8th July 1935.

To

The Firms dealing in Machinery.

Enquiry No. 1444.

SPARE PARTS FOR SIX-TON STEAM ROAD ROLLER.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below :—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Spare Parts required for Six-Ton Steam Road Roller" with the above enquiry Number.

This enquiry will be closed on the 22nd July 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Spur Pinion (No. 05319) of 55 teeth, suitable for a six-ton steam road roller of Messrs. Thomas Green & Co., Leeds, similar to the diagram shown in the sketch, which may be seen in the office of the undersigned	One	Shimoga-Mysore Railways.	

No. S. P. C. 567-72, dated 8th July 1935.

To

The Firms dealing in Burmah Teak.

Enquiry No. 1445.

BURMAH TEAK.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases be made at your expense from other sources in addition to the levy of a penalty of 3 per cent of value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Burmah Teak " with the above enquiry Number.

This enquiry will be closed on the 31st July 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Best Indian selected Burmah Teak Crown LM or LR brand to be in squares of 35 ft. and upwards in length and not less than 15" square, free from all cracks and shakes, etc., .	520 C.ft. as below :—		
	(1) 220 C.ft. varying between 30 and 35 feet upwards in length.	..		
	(2) 300 C.ft. varying between 20 and 30 feet upwards in length.	..		

N.B.—(1) The price to be quoted should be for delivery f. o. r., Mysore South Station based on R. M. C. certificate.

(2) The material will be subject to inspection and test before acceptance by an officer of the Mysore Railway Department to be deputed for the purpose.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 830-31, *dated 9th July* 1935.

NOTICE.

Enquiry No. 1411.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of 100 High Tension Step-Down Transformers required for Electrification of towns *enroute* to Bhadravati, up to 10th September 1935.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

No. S. P. C. 535-6, *dated 5th—6th July* 1935.

NOTICE.

Enquiry No. 1414.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, upto 5th September 1935, for the supply of Electric Street Series lamps required for Government during the year 1935-36.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refun-

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

No. S. P. C. 534-5, *dated 5th—6th July* 1935.

NOTICE.

Enquiry No. 1419.

Sealed tenders will be received by the Secretary, Stores Purchase Committee upto 25th July 1935, for the supply of cement required for the several departments of Government during the year 1935-36.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

No. S. P. C. 532-3, *dated 5th—6th July* 1935.

NOTICE.

Enquiry No. 1420.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, up to 20th September 1935, for the supply of 2850 Nos. 25 cycles House Service and Power Service meters of different ampere capacities required during the year 1935-36.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

No. S. P. C. 503-4, *dated 5th July* 1935.

NOTICE.

Enquiry No. 1422.

OILS REQUIRED FOR THE MYSORE GOVERNMENT DEPARTMENTS DURING 1935-36.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Lubricating Oils, Grease, etc., required for the Mysore Government Departments, during the year 1935-36 up to 5 P.M. on 12th August 1935.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

No. S. P. C. 735—36, *dated 8th July* 1935.

NOTICE.

Enquiry No. 1431.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, up to 25th September 1935, for the supply of 2360 Nos. of 60 cycle House Service meters required during the year 1935-36.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

No. S. P. C. 358-59, dated 3rd July 1935.

NOTICE.

Enquiry No. 1439.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, up to the 5th of August 1935, for the supply of the following qualities of Caustic Soda, during the year 1935 :—

(1) Caustic Soda solid fused variety of 76—77% Na_2O or 98—99% NaO H .. 35 tons.

(2) Caustic Soda, flake variety of 98% or over purity .. .. .. 5 tons.

Intending tenderers may quote for our requirements clearly intimating the names of the manufacturers, the country of origin, the kind of packing and the time of delivery offered.

The quotations should be both for delivery, c.i.f., Madras and f.o.r., Bangalore.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the week ending Saturday the 22nd June 1935.

Indent & Enquiry No.	Name of article	Quantity	Name of Firm	Value of Contract
			Messrs.—	Rs. a. p.
Local. 3216	Liquid Chlorine in 150 lb. cylinders in lots of 3 cylinders at a time and over.	Rate contract.	Imperial Chemical Industries, Ltd., Madras.	0 5 4 lb. f. o. r., Madras.
1363	Do in lots of less than 3 cylinders.			0 5 7 lb. do
	Do in 68 lbs. cylinders in lots of 5 cylinders at a time and over ..			0 6 1 lb. do
	Do in lots of less than 5 cylinders.			0 6 4 lb. do
3217	Grinding Set, portable with an electric motor of 1 H.P. 1500 R.P.M. suitable for 220 volts, 25 cycles, 3 phase current with starter.	One	The Industrial and Agricultural Engineering Co., Bombay.	390 0 0 f. o. r., Bombay.
1328				
3218	Ingots, Tin 99·75 conforming to I.S.D.	20 cwts.	Pragdas Mathuradas, Calcutta	172 0 0 cwt. f.o.r., Howrah.
1355				
3219	Planks and Scantlings, Teakwood	lot.	V. Venkatasubbaiya & Sons., Bangalore.	2,286 12 0 lot free delivery.
1387				
3220	Tyres, Dunlop 32×6 S.S. Reinforced for heavy service.	3	Dunlop Rubber Co., Bangalore	103 3 0 each, f.o.r., Belagola.
1376	Tubes do	4		4 14 0 do
	Tyre do 30×5 ..	2		67 13 0 do
	Tubes do do ..	4		8 12 0 do
3221	Saws Frame 3½ ft. long 14 gauge with buckle, key, rivets, etc.	12	M. N. Hussen & Co., Bangalore	9 12 0 each, f.o.r., Shimoga.
1346				
3136 Extn.	Thermostat 250 volts, 10 amps. for Water bath.	1	General Electric Co., Madras ..	99 0 0 each, f.o.r., Bangalore.
	Do for Ice Room ..	1		
3157 Extn.	Rearing Cylinders, Larva 6″×4″ ..	12	T. Ramachandra Rao, Bangalore City.	12 0 0 each, free delivery.
	Do 7″×5½″	12	Do ..	15 0 0 do
Foreign. 1709	Cardboards, Royal, 3 sheet boards	35 gross	John Dickenson & Co., London, through the Trade Commissioner for Mysore in London.	£0-5-3 gross f.o.b. London.
1255	Pink Boards do do	10 ,,		£0-5-9 do
	Colour Boards do do	10 ,,		£0-5-9 do
	Note Books, Metallic 6″×4″ ..	6 doz.		£5-0-0 lot, f.o.b., London.
	Straw Boards 2 lbs. ..	120 cwts.	Lepard & Smiths, London, through the Trade Commissioner for Mysore in London.	£0-5-4 cwt., f.o.b., London.
1255	Do 1½ ,, ..	120 ,,		£0-5-4 do
	Do 1 ,, ..	80 ,,		£0-3-9 do
	Do ½ ,, ..	40 ,,		£0-3-9 do

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, for the week ending Saturday the 29th June 1935.

Indent & Enquiry No.	Name of article	Quantity	Name of Firm	Value of Contract
Local.			Messrs.—	Rs. a. p.
3222	Nibs, Red Ink, Hinks Wells & Co's No. 2040.	100 gross		1 0 0 gross, free delivery at Bangalore.
1255	Pads, blotting, with 12 sheets of 'Asoka' blotting paper.	500 Nos.	T. M. Abdul Gaffoor & Co., Bangalore City.	0 8 6 each do
	Ribbons, typewriting, Ellam's make.	100 doz.		8 8 0 doz. do
	Ink and Pencil Erasers, Steadtler's make.	5 gross		33 0 0 gross do
	Ink Glasses, 2″×2″×2″ with metal cap.	4 ,,		27 0 0 ,, do
	Pencil, Black lead, H.B., Bavarian make.	75 gross	M. Husson Ali & Sons, Madras	2 13 0 gross, f.o.r. Bangalore.
	Cloth, Tracing, Dowse's patent, 36/38″ wide, in rolls of 24 yds.	150 rolls	Do ..	43 0 0 roll, do
	Candles, 'Cook & Key' Brand, Stearine, cases containing 8×3 lb. packets.	5,000 Nos.	Parry & Co., Bangalore ..	15 2 0 per case, free delivery.
	Red Ink Nibs, Gooptu's No. 1033	200 gross	M. A. Salam Abdul Majeed & Co., Bangalore City.	0 9 0 gross do
	Tape, English, white, ½″ wide ..	2,000 skeins	Do ..	0 1 9 skein do
	Do red do ..	1,500 ,,	Do ..	0 2 0 ,, do
	Pen holders ..	100 gross	Government Industrial School, Channapatna.	7 8 0 gross do
	Green Baize, quality M. 3746, 54″ wide.	750 yds.	Yacoob Sheriff & Co., Bangalore.	2 3 0 yd. do
	Gum liquid in bottles, 12 ozs. ..	300 Nos.	Government Soap Factory, Bangalore.	0 9 0 bottle do
	Candle, Belmont in cases; each case containing 200 sticks.	5,000 ,,	Burmah-Shell Oil Storage & Distributing Co., Madras.	15 2 0 case, f.o.r. Bangalore.
	Ribbons, Typewriting, "Kores" make.	100 doz.	W. Koreska, Calcutta ..	6 2 0 doz. do
	Wax, sealing, 1st grade ..	250 lbs.	Government Lac Factory, Bangalore.	1 0 0 lb., free delivery.
	Do 3rd grade ..	1,000 ,,	Do	0 4 0 do
	India Rubber, Bhattacharya's 24 to a lb.	50 ,,	The Home Products & Trading Co., Bangalore City.	0 13 8 do
	Ribbons, Typewriter, "Bharat" make, standard size.	20 doz.	Bharat Carbon & Ribbon Mfg., Co., Karachi.	7 0 0 doz., f.o.r. Bangalore City.
	Do Portable size ...	20 ,,	Do ..	5 4 0 doz. do
	Penknives, Rodger's, 3½″ long, ivory handle, double blades.	72 Nos.	The Bombay Stationery Mart, Bombay.	15 8 0 ,, do
	Scissors, Rodger's 6″ long ..	60 ,,	Do ..	15 8 0 ,, do
	Nibs, Red Ink, Orient ..	200 gross	Orient Works, Calcutta ..	0 8 0 gross do
	Pencils, black lead H.B. "Star of India".	75 ,,	Madras Pencil Factory, Madras	3 0 0 ,, do
	Tags, cotton, 3″ Assorted ..	37,500 Nos.		2 0 0 per 1,000 free delivery at Bangalore
	Do 6″ do ..		The Central Jail, Bangalore ..	2 8 0 per 1,000 do
	Thread Thablak 4s yarn cotton cord.	500 lbs.		0 5 6 lb. do
	Tape, country, white, ½″ ..	100 ,,		1 4 0 lb. do
	Do red ½″ ..	200 ,,		1 6 0 lb. do
	Tags, cotton, assorted, 3″ ..	37,500 Nos.	The Institute of Home & Cottage Industries, Mysore.	2 0 0 per 1,000 do
	Do 6″ ..			2 8 0 do
3223	Flood Lights, G.E. Submersible and colour lenses of 4 colours.	lot.	International General Electric Co., Bangalore City.	2,719 9 8 f. o. r., Belagola.
3224	*Spares for Tipping Wagons* :—			
	Wheels & Axles, Cast steel disc pattern.	60 pairs		20 6 0 pair, f.o.r., Shimoga
	Axle boxes roller bearing, dust proof.	100		3 9 0 each
	Rollers spare for bearing ..	1,000		0 2 6 each
	Rivets M. S. ⅝″ dia. × ½″ round head.	500		13 8 0 cwt.
	Rivets M.S. ⅝″ flat countersunk head.	500	Hermann & Co., Bombay. ..	18 0 0 ,,
	Rivets M.S. ½″ dia. × 1½″ long with round heads.	500		14 0 0 ,,
	Rivets M.S. ½″ flat countersunk heads.	500		18 0 0 ,,
	Nuts spare for ⅝″ dia. bolts ..	500		18 0 0 ,,
	Do 1½″ do ..	500		19 0 0 ,,
3225	Venturi meter, short, 18″ for measuring pressure up to 16 atmosphere.	1	Suren Piras & Co., Bombay ..	2,000 0 0 f. o. r., Bangalore.

Indent & Enquiry No.	Name of article	Quantity	Name of firm	Value of contract
Local.			Messrs.—	Rs. a. p.
3173 Extn.	Coal, best Deshergarh ..	Rate contract	T. Boal Bros., Bangalore City	24 4 0 ton, free delivery.
3226	Long Cloth, Kora 40″×37 yds. ..	88 pieces	The Mysore Spg. & Mfg. Co., Bangalore.	6 6 0 piece, free delivery.
3225	Locks pad, G. I. with one upper brass plate covering the levers, duplicate keys 1″ ..	Rate contract	The Electric Lock Works, Aligarh, U. P. ..	0 8 0 f.o.r., Bangalore,
1317	$1\frac{1}{2}$″ ..			0 6 0 Mysore,
	2″ ..			0 8 0 Kolar,
	$2\frac{1}{2}$″ ..			0 10 0 Tumkur,
	3″ ..			1 1 0 Chitaldrug,
	Do brass 1″ ..			0 4 0 Shimoga
	$1\frac{1}{2}$″ ..			0 6 0 and Chik-
	2″ ..			0 7 6 magalur
	$2\frac{1}{2}$″ ..			0 12 0 by goods
	3″ ..			1 8 0 train.
	Locks—Master keys sets, duplicate keys sets of 1 to 12 locks			Usual price of lock plus Rs. 1-0-0 per set
	1 to 50			Do Rs. 6-0-0 ,,
	1 to 100			Do Rs. 15-0-0 ,,
	1 to 200			Do Rs. 25-0-0 ,,
3228	Plain socket and spigot pipes in standard lengths.			
—	Half turned and bored pipes do	Rate contract	The General Manager, Mysore Iron Works, Bhadravati.	6 8 0 cwt., f.o.r., Bhadravati
	Flanged pipes do			7 0 0 ,, do
	Irrigation pipes do			8 0 0 ,, do
	Standard pipe specials do			5 0 0 ,, do
	Unstandard specials do			13 0 0 ,, do
				14 0 0 ,, do
3229	Rails, second hand steel, $41\frac{1}{4}$ lb., 24 ft. long.	800 lengths	Controller of Stores, M.S.M. Ry. Co., Madras.	70 0 0 ton, f.o.r., Bangalore.
1375				
3230	Materials, Laboratory ..	lot.	Anantharam Bros., Bangalore	366 9 0 lot, f.o.r., Oorgaum.
2911 Extn.	Staves, levelling, Sopwith pattern	4	P. Orr & Sons., Madras ..	36 0 0 each, f.o.r., Bangalore.
Foreign.				
1712 F.O. 1462	Spares for 2,500 K.V.A. condenser equipment and 500 K.W. frequency changer set.	lot.	International General Electric Co., Bangalore.	$884·54 lot, f.a.s., New York.
1713 F.O. 1461	Cables required for capital works at Bangalore and Mysore.	lot.	United States Steel Products Co., New York.	$661·75 c.i.f., Madras.

V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.